

1. Clesse F, Leray E, Bodeau-Livinec F, Husky M, Kovess-Masfety V. Corrigendum to "Bereavement-related depression: Did the changes induced by DSM-V make a difference? Results from a large population-based survey of French residents"[J. Affect. Disord. 182 (2015) 82-90]. *Journal of affective disorders.* 2017;207:53.
2. Villani M, Kovess-Masfety V. [Are schizophrenic patients being told their diagnosis today in France?]. *L'Encephale.* 2016.
3. McGrath JJ, Saha S, Al-Hamzawi AO, Alonso J, Andrade L, Borges G, et al. Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. *Schizophr Bull.* 2016;42(4):933-41.
4. McGrath JJ, Saha S, Al-Hamzawi A, Andrade L, Benjet C, Bromet EJ, et al. The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. *Am J Psychiatry.* 2016;173(10):997-1006.
5. Kuijpers RC, Otten R, Vermulst AA, Pez O, Bitfoi A, Carta M, et al. Reliability, factor structure, and measurement invariance of the Dominic Interactive across European countries: Cross-country utility of a child mental health self-report. *Psychol Assess.* 2016;28(5):539-48.
6. Kovess-Masfety V, Leray E, Denis L, Husky M, Pitrou I, Bodeau-Livinec F. Mental health of college students and their non-college-attending peers: results from a large French cross-sectional survey. *BMC Psychol.* 2016;4:20.
7. Kovess-Masfety V, Keyes K, Hamilton A, Hanson G, Bitfoi A, Golitz D, et al. Is time spent playing video games associated with mental health, cognitive and social skills in young children? *Social psychiatry and psychiatric epidemiology.* 2016;51(3):349-57.
8. Kovess-Masfety V, Husky MM, Keyes K, Hamilton A, Pez O, Bitfoi A, et al. Comparing the prevalence of mental health problems in children 6-11 across Europe. *Social psychiatry and psychiatric epidemiology.* 2016;51(8):1093-103.
9. Kovess-Masfety V, Husky M, Pitrou I, Fermanian C, Shojaei T, Chee CC, et al. Differential impact of parental region of birth on negative parenting behavior and its effects on child mental health: Results from a large sample of 6 to 11 year old school children in France. *BMC psychiatry.* 2016;16:123.
10. Kovess-Masfety V, Evans-Lacko S, Williams D, Andrade LH, Benjet C, Ten Have M, et al. The role of religious advisors in mental health care in the World Mental Health surveys. *Social psychiatry and psychiatric epidemiology.* 2016.
11. Kovess Masfety V, Lesinskiene S, Husky MM, Boyd A, Ha P, Fermanian C, et al. Risk factors for child mental health problems in Lithuania: The role of parental nationality. *Comprehensive psychiatry.* 2016;73:15-22.
12. Husky MM, Zablith I, Alvarez Fernandez V, Kovess-Masfety V. Factors associated with suicidal ideation disclosure: Results from a large population-based study. *Journal of affective disorders.* 2016;205:36-43.
13. de Jonge P, Roest AM, Lim CC, Florescu SE, Bromet EJ, Stein DJ, et al. Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. *Depression and anxiety.* 2016;33(12):1155-77.
14. Bromet EJ, Atwoli L, Kawakami N, Navarro-Mateu F, Piotrowski P, King AJ, et al. Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. *Psychological medicine.*

2016:1-15.

15. Bonnaire CL, Kovess V, Guignard R, Richard JB, Du-Roscoat E, Beck FO. Life events, substance use, psychological distress, and quality of life in male and female French gamblers. *Annals of clinical psychiatry : official journal of the American Academy of Clinical Psychiatrists*. 2016;28(4):263-79.
16. Bonnaire C, Kovess-Masfety V, Guignard R, Richard JB, du Roscoat E, Beck F. Gambling Type, Substance Abuse, Health and Psychosocial Correlates of Male and Female Problem Gamblers in a Nationally Representative French Sample. *J Gambl Stud*. 2016.
17. Benjet C, Bromet E, Karam EG, Kessler RC, McLaughlin KA, Ruscio AM, et al. The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. *Psychological medicine*. 2016;46(2):327-43.
18. Barbaglia G, Adroher ND, Vilagut G, Bruffaerts R, Bunting B, Caldas de Almeida JM, et al. Health conditions and role limitation in three European Regions: a public-health perspective. *Gac Sanit*. 2016.
19. Auerbach RP, Alonso J, Axinn WG, Cuijpers P, Ebert DD, Green JG, et al. Mental disorders among college students in the World Health Organization World Mental Health Surveys. *Psychological medicine*. 2016;46(14):2955-70.
20. Aguilar-Gaxiola S, Loera G, Geraghty EM, Ton H, Lim CC, de Jonge P, et al. Associations between DSM-IV mental disorders and subsequent onset of arthritis. *Journal of psychosomatic research*. 2016;82:11-6.
21. Rapsey CM, Lim CC, Al-Hamzawi A, Alonso J, Bruffaerts R, Caldas-de-Almeida JM, et al. Associations between DSM-IV mental disorders and subsequent COPD diagnosis. *Journal of psychosomatic research*. 2015;79(5):333-9.
22. Olaya B, Moneta MV, Pez O, Bitfoi A, Carta MG, Eke C, et al. Country-level and individual correlates of overweight and obesity among primary school children: a cross-sectional study in seven European countries. *BMC public health*. 2015;15:475.
23. McGrath JJ, Saha S, Al-Hamzawi A, Alonso J, Bromet EJ, Bruffaerts R, et al. Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. *JAMA Psychiatry*. 2015;72(7):697-705.
24. Kovess-Masfety V, Pilowsky DJ, Goelitz D, Kuijpers R, Otten R, Moro MF, et al. Suicidal ideation and mental health disorders in young school children across Europe. *Journal of affective disorders*. 2015;177:28-35.
25. Kovess-Masfety V, Boyd A. Modelling Needs for Mental Healthcare from Epidemiological Surveys with Validation Using Sociodemographic Census Data. *Clinical practice and epidemiology in mental health : CP & EMH*. 2015;11:186-94.
26. Kovess V, Keyes KM, Hamilton A, Pez O, Bitfoi A, Koc C, et al. Maternal smoking and offspring inattention and hyperactivity: results from a cross-national European survey. *Eur Child Adolesc Psychiatry*. 2015;24(8):919-29.
27. Kovess V, Choppin S, Gao F, Pivette M, Husky M, Leray E. Psychotropic Medication Use in French Children and Adolescents. *Journal of child and adolescent psychopharmacology*. 2015.
28. Kovess V, Carta MG, Pez O, Bitfoi A, Koc C, Goelitz D, et al. The School

- Children Mental Health in Europe (SCMHE) Project: Design and First Results. Clinical practice and epidemiology in mental health : CP & EMH. 2015;11(Suppl 1 M7):113-23.
29. Kessler RC, Sampson NA, Berglund P, Gruber MJ, Al-Hamzawi A, Andrade L, et al. Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and psychiatric sciences. 2015;24(3):210-26.
30. John A, Marchant AL, McGregor JI, Tan JO, Hutchings HA, Kovess V, et al. Recent trends in the incidence of anxiety and prescription of anxiolytics and hypnotics in children and young people: An e-cohort study. Journal of affective disorders. 2015;183:134-41.
31. Husky MM, Lepine JP, Gasquet I, Kovess-Masfety V. Exposure to Traumatic Events and Posttraumatic Stress Disorder in France: Results From the WMH Survey. J Trauma Stress. 2015;28(4):275-82.
32. Hardt J, Bernert S, Matschinger H, Angermeier MC, Vilagut G, Bruffaerts R, et al. Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. Journal of affective disorders. 2015;175C:168-74.
33. duRivage N, Keyes K, Leray E, Pez O, Bitfoi A, Koc C, et al. Parental use of corporal punishment in Europe: intersection between public health and policy. PloS one. 2015;10(2):e0118059.
34. Bruffaerts R, Posada-Villa J, Al-Hamzawi AO, Gureje O, Huang Y, Hu C, et al. Proportion of patients without mental disorders being treated in mental health services worldwide. The British journal of psychiatry : the journal of mental science. 2015;206(2):101-9.
35. Bruffaerts R, Demyttenaere K, Kessler RC, Tachimori H, Bunting B, Hu C, et al. The associations between preexisting mental disorders and subsequent onset of chronic headaches: a worldwide epidemiologic perspective. The journal of pain : official journal of the American Pain Society. 2015;16(1):42-52.
36. Boyd A, Van de Velde S, Vilagut G, de Graaf R, O'Neill S, Florescu S, et al. Gender differences in mental disorders and suicidality in Europe: results from a large cross-sectional population-based study. Journal of affective disorders. 2015;173:245-54.
37. Boyd A, Van de Velde S, Pivette M, Ten Have M, Florescu S, O'Neill S, et al. Gender differences in psychotropic use across Europe: Results from a large cross-sectional, population-based study. European psychiatry : the journal of the Association of European Psychiatrists. 2015;30(6):778-88.
38. Tordjman S, Somogyi E, Coulon N, Kermarrec S, Cohen D, Bronsard G, et al. Gene x Environment interactions in autism spectrum disorders: role of epigenetic mechanisms. Frontiers in psychiatry. 2014;5:53.
39. Stein DJ, Aguilar-Gaxiola S, Alonso J, Bruffaerts R, de Jonge P, Liu Z, et al. Associations between mental disorders and subsequent onset of hypertension. General hospital psychiatry. 2014;36(2):142-9.
40. Saias T, du Roscoat E, Veron L, Guignard R, Richard JB, Legleye S, et al. Psychological distress in French college students: demographic, economic and social stressors. Results from the 2010 National Health Barometer. BMC public health. 2014;14(1):256.

41. Nakash O, Levav I, Aguilar-Gaxiola S, Alonso J, Andrade LH, Angermeyer MC, et al. Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. *Psycho-oncology*. 2014;23(1):40-51.
42. McDowell RD, Ryan A, Bunting BP, O'Neill SM, Alonso J, Bruffaerts R, et al. Mood and anxiety disorders across the adult lifespan: a European perspective. *Psychological medicine*. 2014;44(4):707-22.
43. Lee EJ, Keyes K, Bitfoi A, Mihova Z, Pez O, Yoon E, et al. Mental health disparities between Roma and non-Roma children in Romania and Bulgaria. *BMC psychiatry*. 2014;14(1):297.
44. Kovess-Masfety V, Boyd A, van de Velde S, de Graaf R, Vilagut G, Haro JM, et al. Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. *Journal of epidemiology and community health*. 2014;68(7):649-56.
45. Keyes KM, Susser E, Pilowsky DJ, Hamilton A, Bitfoi A, Goelitz D, et al. The health consequences of child mental health problems and parenting styles: Unintentional injuries among European schoolchildren. *Preventive medicine*. 2014;67C:182-8.
46. Kessler RC, Rose S, Koenen KC, Karam EG, Stang PE, Stein DJ, et al. How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. *World psychiatry : official journal of the World Psychiatric Association*. 2014;13(3):265-74.
47. Karam EG, Friedman MJ, Hill ED, Kessler RC, McLaughlin KA, Petukhova M, et al. Cumulative traumas and risk thresholds: 12-month PTSD in the World Mental Health (WMH) surveys. *Depression and anxiety*. 2014;31(2):130-42.
48. Icick R, Kovess V, Gasquet I, Lepine JP. [Days out of role due to common mental and physical disorders: French results from the WHO World Mental Health surveys.]. *L'Encephale*. 2014.
49. Constant A, Dulouost J, Wazana A, Shojaei T, Pitrou I, Kovess-Masfety V. Utility of self-reported mental health measures for preventing unintentional injury: results from a cross-sectional study among French schoolchildren. *BMC pediatrics*. 2014;14:2.
50. Andrade LH, Alonso J, Mneimneh Z, Wells JE, Al-Hamzawi A, Borges G, et al. Barriers to mental health treatment: results from the WHO World Mental Health surveys. *Psychological medicine*. 2014;44(6):1303-17.
51. Wells JE, Browne MO, Aguilar-Gaxiola S, Al-Hamzawi A, Alonso J, Angermeyer MC, et al. Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. *The British journal of psychiatry : the journal of mental science*. 2013;202(1):42-9.
52. Vilagut G, Forero CG, Pinto-Meza A, Haro JM, de Graaf R, Bruffaerts R, et al. The mental component of the short-form 12 health survey (SF-12) as a measure of depressive disorders in the general population: results with three alternative scoring methods. *Value in health : the journal of the International Society for Pharmacoeconomics and Outcomes Research*. 2013;16(4):564-73.
53. Stein DJ, Koenen KC, Friedman MJ, Hill E, McLaughlin KA, Petukhova M, et al. Dissociation in posttraumatic stress disorder: evidence from the world

- mental health surveys. *Biological psychiatry*. 2013;73(4):302-12.
54. Scott KM, Alonso J, de Jonge P, Viana MC, Liu Z, O'Neill S, et al. Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. *Journal of psychosomatic research*. 2013;75(2):121-7.
55. Pinto-Meza A, Moneta MV, Alonso J, Angermeyer MC, Bruffaerts R, Caldas de Almeida JM, et al. Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. *Social psychiatry and psychiatric epidemiology*. 2013;48(2):173-81.
56. Kovess-Masfety V, Alonso J, Angermeyer M, Bromet E, de Girolamo G, de Jonge P, et al. Irritable mood in adult major depressive disorder: results from the world mental health surveys. *Depression and anxiety*. 2013;30(4):395-406.
57. Kovess V, Pilowsky DJ, Boyd A, Pez O, Bitfoi A, Carta M, et al. Parental smoking in the vicinity of children and tobacco control policies in the European region. *PloS one*. 2013;8(2):e56783.
58. Kessler RC, Berglund PA, Chiu WT, Deitz AC, Hudson JI, Shahly V, et al. The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. *Biological psychiatry*. 2013;73(9):904-14.
59. Fullana MA, Vilagut G, Mataix-Cols D, Adroher ND, Bruffaerts R, Bunting B, et al. Is ADHD in childhood associated with lifetime hoarding symptoms? An epidemiological study. *Depression and anxiety*. 2013;30(8):741-8.
60. Dezetter A, Briffault X, Bruffaerts R, De Graaf R, Alonso J, Konig HH, et al. Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. *Social psychiatry and psychiatric epidemiology*. 2013;48(1):137-49.
61. Dezetter A, Briffault X, Ben Lakhdar C, Kovess-Masfety V. Costs and benefits of improving access to psychotherapies for common mental disorders. *The journal of mental health policy and economics*. 2013;16(4):161-77.
62. Carta MG, Zairo F, Saphino D, Sevilla-Dedieu C, Moro MF, Massidda D, et al. MDQ positive people's searching for effective and ineffective treatments for bipolar disorders: a screening study in France. *Journal of affective disorders*. 2013;149(1-3):84-92.
63. Brugha TS, Matthews R, Alonso J, Vilagut G, Fouweather T, Bruffaerts R, et al. Gender differences in mental health expectancies in early- and midlife in six European countries. *The British journal of psychiatry : the journal of mental science*. 2013;202(4):294-300.
64. Bertaud-Gounot V, Kovess-Masfety V, Perrus C, Trohel G, Richard F. Oral health status and treatment needs among psychiatric inpatients in Rennes, France: a cross-sectional study. *BMC psychiatry*. 2013;13:227.
65. Nicoli M, Bouchez S, Nieto I, Gasquet I, Kovess V, Lepine JP. [Prevalence and risk factors for suicide ideation, plans and attempts in the French general population: results from the ESEMeD study]. *L'Encephale*. 2012;38(4):296-303.
66. Pinto-Meza A, Fernandez A, Bruffaerts R, Alonso J, Kovess V, De Graaf R, et al. Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. *Social psychiatry and psychiatric*

- epidemiology. 2011;46(4):273-80.
67. Fullana MA, Vilagut G, Ortega N, Bruffaerts R, de Girolamo G, de Graaf R, et al. Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. *Journal of affective disorders*. 2011;131(1-3):330-8.
68. Dezetter A, Briffault X, Alonso J, Angermeyer MC, Bruffaerts R, de Girolamo G, et al. Factors associated with use of psychiatrists and nonpsychiatrist providers by ESEMeD respondents in six European countries. *Psychiatric services*. 2011;62(2):143-51.
69. Alonso J, Vilagut G, Chatterji S, Heeringa S, Schoenbaum M, Bedirhan Ustun T, et al. Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. *Psychological medicine*. 2011;41(4):873-86.
70. Alonso J, Petukhova M, Vilagut G, Chatterji S, Heeringa S, Ustun TB, et al. Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. *Molecular psychiatry*. 2011;16(12):1234-46.
71. ten Have M, de Graaf R, Ormel J, Vilagut G, Kovess V, Alonso J, et al. Are attitudes towards mental health help-seeking associated with service use? Results from the European Study of Epidemiology of Mental Disorders. *Social psychiatry and psychiatric epidemiology*. 2010;45(2):153-63.
72. ten Have M, de Graaf R, Ormel J, Vilagut G, Kovess V, Alonso J. [Attitudes to the seeking of psychiatric help from mental health care professionals and actually seeking help: differences in Europe]. *Tijdschrift voor psychiatrie*. 2010;52(4):205-17.
73. Stein DJ, Scott K, Haro Abad JM, Aguilar-Gaxiola S, Alonso J, Angermeyer M, et al. Early childhood adversity and later hypertension: data from the World Mental Health Survey. *Annals of clinical psychiatry : official journal of the American Academy of Clinical Psychiatrists*. 2010;22(1):19-28.
74. Stegmann ME, Ormel J, de Graaf R, Haro JM, de Girolamo G, Demyttenaere K, et al. Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. *Journal of affective disorders*. 2010;124(1-2):38-44.
75. Scott KM, Wells JE, Angermeyer M, Brugha TS, Bromet E, Demyttenaere K, et al. Gender and the relationship between marital status and first onset of mood, anxiety and substance use disorders. *Psychological medicine*. 2010;40(9):1495-505.
76. Scott KM, Hwang I, Chiu WT, Kessler RC, Sampson NA, Angermeyer M, et al. Chronic physical conditions and their association with first onset of suicidal behavior in the world mental health surveys. *Psychosomatic medicine*. 2010;72(7):712-9.
77. Pitrou I, Shojaei T, Chan-Chee C, Wazana A, Boyd A, Kovess-Masfety V. The associations between headaches and psychopathology: a survey in school children. *Headache*. 2010;50(10):1537-48.
78. Konig HH, Heider D, Lehnert T, Riedel-Heller SG, Angermeyer MC, Matschinger H, et al. Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. *Health and quality of life outcomes*. 2010;8:143.
79. Kessler RC, Birnbaum HG, Shahly V, Bromet E, Hwang I, McLaughlin KA,

- et al. Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. *Depression and anxiety*. 2010;27(4):351-64.
80. Bruffaerts R, Demyttenaere K, Borges G, Haro JM, Chiu WT, Hwang I, et al. Childhood adversities as risk factors for onset and persistence of suicidal behaviour. *The British journal of psychiatry : the journal of mental science*. 2010;197(1):20-7.
81. Usall J, Pinto-Meza A, Fernandez A, de Graaf R, Demyttenaere K, Alonso J, et al. Suicide ideation across reproductive life cycle of women. Results from a European epidemiological study. *Journal of affective disorders*. 2009;116(1-2):144-7.
82. Shojaei T, Wazana A, Pitrou I, Kovess V. The strengths and difficulties questionnaire: validation study in French school-aged children and cross-cultural comparisons. *Social psychiatry and psychiatric epidemiology*. 2009;44(9):740-7.
83. Shojaei T, Wazana A, Pitrou I, Gilbert F, Kovess V. Self-reported peer victimization and child mental health: results of a cross-sectional survey among French primary school children. *Journal of developmental and behavioral pediatrics : JDBP*. 2009;30(4):300-9.
84. Shojaei T, Wazana A, Pitrou I, Gilbert F, Bergeron L, Valla JP, et al. Psychometric properties of the Dominic Interactive in a large French sample. *Canadian journal of psychiatry Revue canadienne de psychiatrie*. 2009;54(11):767-76.
85. Nock MK, Hwang I, Sampson N, Kessler RC, Angermeyer M, Beautrais A, et al. Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. *PLoS medicine*. 2009;6(8):e1000123.
86. Konig HH, Bernert S, Angermeyer MC, Matschinger H, Martinez M, Vilagut G, et al. Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. *Medical care*. 2009;47(2):255-61.
87. Codony M, Alonso J, Almansa J, Bernert S, de Girolamo G, de Graaf R, et al. Perceived need for mental health care and service use among adults in Western Europe: results of the ESEMeD project. *Psychiatric services*. 2009;60(8):1051-8.
88. Alonso J, Buron A, Rojas-Farreras S, de Graaf R, Haro JM, de Girolamo G, et al. Perceived stigma among individuals with common mental disorders. *Journal of affective disorders*. 2009;118(1-3):180-6.
89. Younes N, Hardy-Bayle MC, Falissard B, Kovess V, Gasquet I. Impact of shared mental health care in the general population on subjects' perceptions of mental health care and on mental health status. *Social psychiatry and psychiatric epidemiology*. 2008;43(2):113-20.
90. Von Korff M, Crane PK, Alonso J, Vilagut G, Angermeyer MC, Bruffaerts R, et al. Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. *Journal of clinical epidemiology*. 2008;61(11):1132-43.
91. Scott KM, Von Korff M, Alonso J, Angermeyer MC, Benjet C, Bruffaerts R, et al. Childhood adversity, early-onset depressive/anxiety disorders, and adult-

- onset asthma. *Psychosomatic medicine*. 2008;70(9):1035-43.
92. Scott KM, Von Korff M, Alonso J, Angermeyer M, Bromet EJ, Bruffaerts R, et al. Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. *Psychological medicine*. 2008;38(11):1659-69.
93. Demyttenaere K, Bonnewyn A, Bruffaerts R, De Girolamo G, Gasquet I, Kovess V, et al. Clinical factors influencing the prescription of antidepressants and benzodiazepines: results from the European study of the epidemiology of mental disorders (ESEMeD). *Journal of affective disorders*. 2008;110(1-2):84-93.
94. Briffault X, Sapinho D, Villamaux M, Kovess V. Factors associated with use of psychotherapy. *Social psychiatry and psychiatric epidemiology*. 2008;43(2):165-71.
95. Wang PS, Angermeyer M, Borges G, Bruffaerts R, Tat Chiu W, G DEG, et al. Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. *World psychiatry : official journal of the World Psychiatric Association*. 2007;6(3):177-85.
96. Wang PS, Aguilar-Gaxiola S, Alonso J, Angermeyer MC, Borges G, Bromet EJ, et al. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. *Lancet*. 2007;370(9590):841-50.
97. Verger P, Brabis PA, Kovess V, Lovell A, Sebbah R, Villani P, et al. Determinants of early identification of suicidal ideation in patients treated with antidepressants or anxiolytics in general practice: a multilevel analysis. *Journal of affective disorders*. 2007;99(1-3):253-7.
98. Kovess-Masfety V, Alonso J, Brugha TS, Angermeyer MC, Haro JM, Sevilla-Dedieu C, et al. Differences in lifetime use of services for mental health problems in six European countries. *Psychiatric services*. 2007;58(2):213-20.
99. Kovess V, Sapinho D, Briffault X, Villamaux M. [Psychotherapeutic practices in France: results of a professional-based health insurance participant survey]. *L'Encephale*. 2007;33(1):65-74.
100. Encrenaz G, Kovess-Masfety V, Sapinho D, Chee CC, Messiah A. Utilization of mental health services and risk of 12-month problematic alcohol use. *American journal of health behavior*. 2007;31(4):392-401.
101. Demyttenaere K, Bruffaerts R, Lee S, Posada-Villa J, Kovess V, Angermeyer MC, et al. Mental disorders among persons with chronic back or neck pain: results from the World Mental Health Surveys. *Pain*. 2007;129(3):332-42.
102. Bernal M, Haro JM, Bernert S, Brugha T, de Graaf R, Bruffaerts R, et al. Risk factors for suicidality in Europe: results from the ESEMED study. *Journal of affective disorders*. 2007;101(1-3):27-34.
103. Alonso J, Codony M, Kovess V, Angermeyer MC, Katz SJ, Haro JM, et al. Population level of unmet need for mental healthcare in Europe. *The British journal of psychiatry : the journal of mental science*. 2007;190:299-306.
104. Kovess-Masfety V, Xavier M, Moreno Kustner B, Suchocka A, Sevilla-Dedieu C, Dubuis J, et al. Schizophrenia and quality of life: a one-year follow-up in four EU countries. *BMC psychiatry*. 2006;6:39.
105. Younes N, Hardy-Bayle MC, Falissard B, Kovess V, Chailliet MP, Gasquet I. Differing mental health practice among general practitioners, private psychiatrists

- and public psychiatrists. *BMC public health.* 2005;5:104.
106. Younes N, Gasquet I, Gaudebout P, Chaillot MP, Kovess V, Falissard B, et al. General Practitioners' opinions on their practice in mental health and their collaboration with mental health professionals. *BMC family practice.* 2005;6(1):18.
107. Lepine JP, Gasquet I, Kovess V, Arbabzadeh-Bouchez S, Negre-Pages L, Nachbaur G, et al. [Prevalence and comorbidity of psychiatric disorders in the French general population]. *L'Encephale.* 2005;31(2):182-94.
108. Kovess V, Caldas de Almeida Jose M, Carta M, Dubuis J, Lacalmontie E, Pellet J, et al. Professional team's choices of intervention towards problems and needs of patients suffering from schizophrenia across six European countries. *European psychiatry : the journal of the Association of European Psychiatrists.* 2005;20(8):521-8.
109. Hardoy MC, Carta MG, Marci AR, Carbone F, Cadeddu M, Kovess V, et al. Exposure to aircraft noise and risk of psychiatric disorders: the Elmas survey--aircraft noise and psychiatric disorders. *Social psychiatry and psychiatric epidemiology.* 2005;40(1):24-6.
110. Gasquet I, Negre-Pages L, Fourrier A, Nachbaur G, El-Hasnaoui A, Kovess V, et al. [Psychotropic drug use and mental psychiatric disorders in France; results of the general population ESEMeD/MHEDEA 2000 epidemiological study]. *L'Encephale.* 2005;31(2):195-206.
111. Chan Chee C, Begassat M, Kovess V. [Factors associated with cervical cancer screening in women covered by national health insurance]. *Revue d'epidemiologie et de sante publique.* 2005;53(1):69-75.
112. Wilhelm K, Kovess V, Rios-Seidel C, Finch A. Work and mental health. *Social psychiatry and psychiatric epidemiology.* 2004;39(11):866-73.
113. Fryers T, Brugha T, Morgan Z, Smith J, Hill T, Carta M, et al. Prevalence of psychiatric disorder in Europe: the potential and reality of meta-analysis. *Social psychiatry and psychiatric epidemiology.* 2004;39(11):899-905.
114. Demyttenaere K, Bruffaerts R, Posada-Villa J, Gasquet I, Kovess V, Lepine JP, et al. Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. *JAMA : the journal of the American Medical Association.* 2004;291(21):2581-90.
115. Carta MG, Kovess V, Hardoy MC, Brugha T, Fryers T, Lehtinen V, et al. Psychosocial wellbeing and psychiatric care in the European Communities: analysis of macro indicators. *Social psychiatry and psychiatric epidemiology.* 2004;39(11):883-92.
116. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatrica Scandinavica Supplementum.* 2004(420):55-64.
117. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatrica Scandinavica Supplementum.* 2004(420):47-54.
118. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Disability and quality of life impact of mental disorders in Europe: results from

- the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatria Scandinavica Supplementum*. 2004(420):38-46.
119. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. 12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatria Scandinavica Supplementum*. 2004(420):28-37.
120. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatria Scandinavica Supplementum*. 2004(420):21-7.
121. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, Bryson H, et al. Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. *Acta psychiatria Scandinavica Supplementum*. 2004(420):8-20.
122. Korkeila J, Lehtinen V, Bijl R, Dalgard OS, Kovess V, Morgan A, et al. Establishing a set of mental health indicators for Europe. *Scandinavian journal of public health*. 2003;31(6):451-9.
123. Gasquet I, Villeminot S, Dos Santos C, Vallet O, Verdier A, Kovess V, et al. [Cultural adaptation and validation of questionnaires measuring satisfaction with the French health system]. *Sante publique*. 2003;15(4):383-402.
124. Carta MG, Hardoy MC, Kovess V, Dell'Osso L, Carpiniello B. Could health care costs for depression be decreased if the disorder were correctly diagnosed and treated? *Social psychiatry and psychiatric epidemiology*. 2003;38(9):490-2.
125. Valla JP, Kovess V, Chan Chee C, Berthiaume C, Vantalon V, Piquet C, et al. A French study of the Dominic Interactive. *Social psychiatry and psychiatric epidemiology*. 2002;37(9):441-8.
126. Raphael JC, Dazord A, Jaillard P, Andronikof-Sanglade A, Benony H, Kovess V, et al. [Assessment of quality of life for home ventilated patients with Duchenne muscular dystrophy]. *Revue neurologique*. 2002;158(4):453-60.
127. Carta MG, Kovess V, Hardoy MC, Morosini P, Murgia S, Carpiniello B. Psychiatric disorders in Sardinian immigrants to Paris: a comparison with Parisians and Sardinians resident in Sardinia. *Social psychiatry and psychiatric epidemiology*. 2002;37(3):112-7.
128. Alonso J, Ferrer M, Romera B, Vilagut G, Angermeyer M, Bernert S, et al. The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. *International journal of methods in psychiatric research*. 2002;11(2):55-67.
129. Kovess V, Labarte S, Olivier JC. [Patterns of care and socio-professional categories derived from DIM (Department of Medical Information) data regarding MGEN psychiatric management]. *L'Encephale*. 2001;27(3):205-11.
130. Carta MG, Kovess V, Morosini PL, Hardoy MC, Marroccu MC, Carpiniello B. [Epidemiology study on the prevalence of psychiatric disorders among Sardinian immigrants in Paris compared with Parisians and Sardinians in Sardinia]. *Annali di igiene : medicina preventiva e di comunita*. 2001;13(2):139-49.
131. Glikman J, Pazart L, Casadebaig F, Philippe A, Lachaux B, Kovess V, et al. Assessing the impact of a consensus conference on long-term therapy for

- schizophrenia. International journal of technology assessment in health care. 2000;16(1):251-9.
132. Kovess V, Mangin Lazarus C. The prevalence of psychiatric disorders and use of care by homeless people in Paris. Social psychiatry and psychiatric epidemiology. 1999;34(11):580-7.
133. Kovess V, Gysens S, Poinsard R, Chanoit PF, Labarte S. Mental health and use of care in people receiving a French social benefit. Social psychiatry and psychiatric epidemiology. 1999;34(11):588-94.
134. Glikman J, Pazart L, Casadebaig F, Philippe A, Lachaux B, Kovess V, et al. [The study of the impact of the consensus conference "Strategies for long-term therapy of patients with schizophrenia"]. L'Encephale. 1999;25(6):558-68.
135. Chastang F, Rioux P, Dupont I, Baranger E, Kovess V, Zarifian E. Risk factors associated with suicide attempt in young French people. Acta psychiatrica Scandinavica. 1998;98(6):474-9.
136. Chastang F, Rioux P, Dupont I, Baranger E, Kovess V, Zarifian E. Suicide attempts and job insecurity: a complex association. European psychiatry : the journal of the Association of European Psychiatrists. 1998;13(7):359-64.
137. Amiel-Lebigre F, Kovess V, Labarte S, Chevalier A. Symptom distress and frequency of life events. Social psychiatry and psychiatric epidemiology. 1998;33(6):263-8.
138. Kovess V. Mental health services description. Prospects for the future. Epidemiologia e psichiatria sociale. 1997;6(1 Suppl):91-103.
139. Chastang F, Rioux P, Dupont I, Kovess V, Zarifian E. [Prospective study of attempted suicide]. L'Encephale. 1997;23(2):100-4.
140. Meur F, Augereau H, Kovess V, Robin D, Mezine S, Leman S. [Interobserver variation of the Global Assessment Scale. Study of 59 patients at admission to a general adult psychiatric unit]. L'Encephale. 1996;22(2):111-7.
141. Kovess V. [The epidemiology of depression]. L'Encephale. 1996;22 Spec No 1:3-7.
142. Houssou C, Kovess V, Bucher M, Silberger C. [The patient record form in psychiatry: nomenclature of the types of management]. L'Encephale. 1996;22(1): 23-33.
143. Chastang F, Rioux P, Kovess V, Lorteau P, Bazin C, Zarifian E. [Epidemiological study of patients and suicidal patients admitted to a psychiatric emergency department of a general hospital]. Revue d'epidemiologie et de sante publique. 1996;44(5):427-36.
144. Amiel-Lebigre F, Kovess V, Lermuzeaux C. [Organization and achievement of a training for ICD-10 rating. The experience of La Verriere Psychiatric Hospital]. L'Encephale. 1996;22(6):414-6.
145. Kovess V, Boisguerin B, Antoine D, Reynaud M. Has the sectorization of psychiatric services in France really been effective? Social psychiatry and psychiatric epidemiology. 1995;30(3):132-8.
146. Kovess V. The French Consensus Conference on long-term therapeutic strategies for schizophrenic psychoses. Social psychiatry and psychiatric epidemiology. 1995;30(2):49-52.
147. Carta MG, Carpinello B, Kovess V, Porcedda R, Zedda A, Rudas N. Lifetime prevalence of major depression and dysthymia: results of a community

- survey in Sardinia. European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology. 1995;5 Suppl:103-7.
148. Kovess V, Soyris D. [Medical information departments and medical program of information systems in psychiatry. Feasibility and consequences]. L'Encephale. 1994;20(1):37-45.
149. Galbaud du Fort G, Kovess V, Boivin JF. Spouse similarity for psychological distress and well-being: a population study. Psychological medicine. 1994;24(2):431-47.
150. Galbaud du Fort G, Boivin JF, Kovess V. Selection bias in the study of spouse similarity for psychiatric morbidity in clinical samples. Comprehensive psychiatry. 1993;34(6):424-31.
151. Fournier L, Kovess V. A comparison of mail and telephone interview strategies for mental health surveys. Canadian journal of psychiatry Revue canadienne de psychiatrie. 1993;38(8):525-33.
152. Choquet M, Kovess V, Poutignat N. Suicidal thoughts among adolescents: an intercultural approach. Adolescence. 1993;28(111):649-59.
153. Kovess V, Sylla O, Fournier L, Flavigny V. Why discrepancies exist between structured diagnostic interviews and clinicians' diagnoses. Social psychiatry and psychiatric epidemiology. 1992;27(4):185-91.
154. Lalinec-Michaud M, Subak ME, Ghadirian AM, Kovess V. Substance misuse among native and rural high school students in Quebec. The International journal of the addictions. 1991;26(9):1003-12.
155. Kovess V, Valla JP, Tousignant M. Psychiatric epidemiology in Quebec: an overview. Canadian journal of psychiatry Revue canadienne de psychiatrie. 1990;35(5):414-8.
156. Kovess V, Fournier L. The DISSA: an abridged self-administered version of the DIS. Approach by episode. Social psychiatry and psychiatric epidemiology. 1990;25(4):179-86.
157. Tousignant M, Kovess V. Borderline traits among community alcoholics and problem-drinkers: rural-urban differences. Canadian journal of psychiatry Revue canadienne de psychiatrie. 1989;34(8):796-9.
158. Kovess V, Murphy HB, Tousignant M. [Are depression perceived by the public and depression described by DSM-III the same?]. Canadian journal of psychiatry Revue canadienne de psychiatrie. 1989;34(9):913-20.
159. Kovess V, Lafleche M. How do teams practise community psychiatry? Canada's mental health. 1988;36(2-3):9-16.
160. Kovess V, Murphy HB, Tousignant M. Urban-rural comparisons of depressive disorders in French Canada. The Journal of nervous and mental disease. 1987;175(8):457-66.
161. Kovess V, Murphy HB, Fournier L, Tousignant M. [Theoretical and practical problems in the measurement of the mental health of populations. Quebec health survey]. Acta psychiatica Belgica. 1986;86(5):588-93.
162. Gluge M, Kovess V, de Verbizier J. [Daily life of patients in a day hospital]. Social psychiatry Sozialpsychiatrie Psychiatrie sociale. 1985;20(2):70-5.
163. Tousignant M, Kovess V. [Mental health surveys: methodological aspects]. Revue d'épidémiologie et de santé publique. 1983;31(3):341-6.
164. Kovess V, Buras-Eisenberg A. [Effect of payment mode on the demand for

- psychotherapy. Comparison of clients of psychoanalysts, of conventional psychiatry and of a free center in the Paris region]. Social psychiatry Sozialpsychiatrie Psychiatrie sociale. 1983;18(1):13-24.
165. Amar M, Kovess V, Bourgeois M. [Marital difficulties, divorce and infantile psychopathology (author's transl)]. Neuropsychiatrie de l'enfance et de l'adolescence. 1979;27(9):417-22.
166. Amar DM, Kovess DV, Bourgeois PM. [Children faced with the divorce of their parents]. Annales medico-psychologiques. 1979;137(9):914-21.